

Literaturliste zu “Aktuelles zum Eschentriebsterben”, Deutsche Baumschule 6/2018, Seiten 36 bis 39

Literatur

Baral, H-O.; Queloz, V.; Hosoya, T., 2014: *Hymenoscyphus fraxineus*, the correct scientific name for the fungus causing ash dieback in Europe. *IMA Fungus* 5, 1, 79–80.

Burokiene, D.; Prospero, S.; Jung, E.; Marciulyniene, D.; Moosbrugger, K.; Norkute, G.; Rigling, D.; Lygis, V.; Schoebel, C. N., 2016: Genetic population structure of the invasive ash dieback pathogen *Hymenoscyphus fraxineus* in its expanding range. *Biol Invasions* Doi: 10.1007/s10530-015-0911-6.

Chandelier, A.; Gerarts, F.; San Martin, G.; Herman, M.; Delahaye, L., 2016: Temporal evolution of collar lesions associated with ash dieback and the occurrence of *Armillaria* in Belgian Forests. *Forest Pathology* 46, 289–297.

Cleary, M.; Nguyen, D.; Marciulynien, D.; Berlin, A.; Vasaitis, R.; Stenlid, J., 2016: Friend or foe? Biological and ecological traits of the European ash dieback pathogen *Hymenoscyphus fraxineus* in its native environment. *Sci. Rep.* 6, 21895.

Drenkhan, R., Hanso, M., 2010: New host species for *Chalara fraxinea*. *New Disease Reports* 22, 16.

Drenkhan, R.; Adamson, K.; Hanso, M., 2015: *Fraxinus sogdiana*, a Central Asian ash species, is susceptible to *Hymenoscyphus fraxineus*. *Plant Protect. Sci.* 51, 150–152.

Drenkhan, R.; Solheim, H.; Bogacheva, A.; Riit, T.; Adamson, K.; Drenkhan, T.; Maaten, T.; Hietala, A., 2016. *Hymenoscyphus fraxineus* is a leaf pathogen of local *Fraxinus* species in the Russian Far East. *Plant Pathology*. Doi 10.1111/ppa.12588.

Enderle, R.; Peters, F.; Nakou, A.; Metzler, B., 2013: Temporal development of ash dieback symptoms and spatial distribution of collar rots in a provenance trial of *Fraxinus excelsior*. *European Journal of Forest Research* 132, 865–876.

Enderle, R.; Sander, F.; Metzler, B., 2017: Temporal development of collar necroses and butt rot in association with ash dieback. *iForest* 10: 529–536. – doi: 10.3832/ifor2407-010.

Fones, H. N.; Mardon, C.; Gurr, S. J., 2016: A role for the asexual spores in infection of *Fraxinus excelsior* by the ash-dieback fungus *Hymenoscyphus fraxineus*. www.nature.com/scientificreports 6:34638. | DOI: 10.1038/srep34638 1.

FP1103 FRAXBACK 6th MC Meeting & Workshop, 15. - 18. Sept. 2014, Palanga, Lithuania. Abstracts, 8–9.

Gross, A.; Holdenrieder, O.; Pautasso, M.; Queloz, V.; Sieber, T. N., 2014: *Hymenoscyphus pseudoalbidus*, the causal agent of European ash dieback. *Molecular Plant Pathology* 15 (1), 5–21.

Gross, A.; Sieber, T. N., 2015: Virulence of *Hymenoscyphus albidus* and native and introduced *Hymenoscyphus fraxineus* on *Fraxinus excelsior* and *Fraxinus pennsylvanica*. *Plant Pathology* DOI: 10.1111/ppa.12450, 1–9.

Gross, A.; Holdenrieder, O., 2016: Pathogenicity of *Hymenoscyphus fraxineus* and *Hymenoscyphus albidus* towards *Fraxinus mandshurica* var. *japonica*. *Forest Pathology* 45, 172–174.

Han, J. G.; Shrestha, B.; Hosoya, T.; Lee, K. H.; Sung, G. H.; Shin, H. D., 2014: First report of the ash dieback pathogen *Hymenoscyphus fraxineus* in Korea. *Mycobiology* 42 (4), 391–396.

- Haňáčková, Z.; Koukol, O.; Čmoková, A.; Zahradník, D.; Havrdová, L., 2017: Direct evidence of *Hymenoscyphus fraxineus* infection pathway through the petiole-shoot junction. *Forest Pathology* 47:e12370 <https://doi.org/10.1111/efp.12370>).
- Hauptmann T.; Piškur B.; de Groot, M.; Ogris N.; Ferlan, M.; Jurc, D., 2013: Temperature effect on *Chalara fraxinea*: heat treatment of saplings as a possible disease control method. *For. Pathol.* 43, 360–370.
- Havrdová, L.; Novotna, K.; Zahradnik, D.; Burianek, V.; Peškova, V.; Šrůtka, P.; Černý, K., 2016: Differences in susceptibility to ash dieback in Czech provenances of *Fraxinus excelsior*. *Forest Pathology* 46, 281–288.
- Husson, C.; Caël, O.; Grandjean, J. P.; Nageleisen, L. M.; Marçais, B., 2012: Occurrence of *Hymenoscyphus pseudoalbidus* on infected ash logs. *Plant Pathology* 61 (5), 889–895.
- Kirisits, T.; Schwanda, K., 2015: First definite report of natural infection of *Fraxinus ornus* by *Hymenoscyphus fraxineus*. *Forest Pathology* 45, 430–432.
- Kjær, E. D.; McKinney, L. V.; Nielsen, L. R.; Hansen, L. N.; Hansen, J. K., 2012: Adaptive potential of ash (*Fraxinus excelsior*) populations against the novel emerging pathogen *Hymenoscyphus pseudoalbidus*. *Evolutionary Applications* 5, 219–228.
- Kowalski, T., 2006: *Chalara fraxinea* sp. nov. associated with dieback of ash (*Fraxinus excelsior*) in Poland. *Forest Pathology* 36, 264–270.
- Kowalski, T.; Bilański, P.; Holdenrieder, O., 2015: Virulence of *Hymenoscyphus albidus* and *H. fraxineus* on *Fraxinus excelsior* and *F. pennsylvanica*. *PLoS ONE* 10(10): e0141592.
- Kowalski, T.; Kehr, R., 2016: Aktuelles zum Eschentriebsterben und zu Krankheiten an Buche und Berg-Ahorn. In : Dujesiefken, D. (Hrsg): *Jahrbuch der Baumpflege 2016*. Haymarket Media, Braunschweig, 63–82.
- Kraj, W.; Kowalski, T., 2014: Genetic variability of *Hymenoscyphus pseudoalbidus* dieback cause of European ash (*Fraxinus excelsior* L.). *Journal of Phytopathology* 162, 218–227.
- Krätler, K.; Kirisits, T., 2012: The ash dieback pathogen *Hymenoscyphus pseudoalbidus* is associated with leaf symptoms on ash species (*Fraxinus* spp.). *Journal of Agricultural Extension and Rural Development* 4, 261–265.
- Landolt, J.; Gross, A.; Holdenrieder, O.; Pautasso, M., 2016: Ash dieback due to *Hymenoscyphus fraxineus*: what can be learnt from evolutionary ecology? *Plant Pathology* 65, 1056–1070.
- Langer, G., 2017: Collar rots in forests of Northwest Germany affected by ash dieback. *Baltic Forestry* 23:4–19.
- Langer, G.; Harriehausen, U.; Bressemer, U., 2015: Stammfußnekrosen bei Esche. *AFZ-DerWald* 70, 29–31.
- Lenz, H. D.; Bartha, B.; Straßer, L.; Lemme, H., 2016: Development of ash dieback in South-Eastern Germany and the increasing occurrence of secondary pathogens. *Forests* 2016, 7, 41; doi:10.3390/f7020041
- Lenz, H. D.; Straßer, L.; Baumann, M.; Baier, U., 2012: Boniturschlüssel zur Einstufung der Vitalität von Alteschen. *AFZ-DerWald* 67(3), 18–19.

- Lösing, H., 2013: Susceptibility of Fraxinus species to ash dieback caused by Chalara fraxinea. *Acta Horticulturae* 1014, 201–203.
- Lygis, V.; Prospero, S.; Burokiene, D.; Schoebel, C.N.; Marciulyniene, D.; Norkute, G.; Rigling, D., 2016: Virulence of the invasive ash pathogen *Hymenoscyphus fraxineus* in old and recently established populations. *Forest Pathology* Doi: 10.1111/ppa.12635.
- Marçais, B.; Husson, C.; Caël, O.; Dowkiw, A.; Saintonge, F.-X.; Delahaye, L.; Chandelier, A., 2017: Estimation of ash mortality induced by *Hymenoscyphus fraxineus* in France and Belgium. *Baltic Forestry* 23,159–167.
- Marçais, B.; Husson, C.; Godart, L.; Caël, O., 2016: Influence of site and stand factors on *Hymenoscyphus fraxineus*-induced basal lesions. *Plant Pathology* 65, 1452–1461.
- Marigo, G.; Peltier, J-P.; Girel, J.; Pautou, G., 2000: Success in the demographic expansion of *Fraxinus excelsior* L. *Trees* 15,1–13.
- McKinney, L. V.; Nielsen, L. R.; Collinge, D. B.; Thomsen, I. M.; Hansen, J. K.; Kjær, E. D., 2014: The ash dieback crisis: genetic variation in resistance can prove a long-term solution. *Plant Pathology* 63, 485–499.
- McKinney, L. V.; Nielsen, L. R.; Hansen, J. K.; Kjar, E. D., 2011: Presence of natural genetic resistance in *Fraxinus excelsior* (Oleaceae) to *Chalara fraxinea* (Ascomycota): an emerging infectious disease. *Heredity* 106, 788–797.
- Metzler, B.; Enderle, R.; Karopka, M.; Topfner, K.; Aldinger, E., 2012: Entwicklung des Eschentriebsterbens in einem Herkunftsversuch an verschiedenen Standorten in Süddeutschland. *Allgemeine Forst und Jagdzeitung* 183, 168–180.
- Nielsen, L. R.; McKinney, L. V.; Hietala, A. M.; Kjær, E. D., 2017: The susceptibility of Asian, European and North American *Fraxinus* species to the ash dieback pathogen *Hymenoscyphus fraxineus* reflects their phylogenetic history. *Eur. J. Forest Res.* 136, 59–73.
- Pautasso, M.; Aas, G.; Queloz, V.; Holdenrieder, O., 2013: European ash (*Fraxinus excelsior*) dieback – A conservation biology challenge. *Biol. Cons.* 158, 37–49.
- Pliura, A.; Lygis, V.; Suchockas, V.; Bartkevicius, E., 2011: Performance of twenty four European *Fraxinus excelsior* populations in three Lithuanian progeny trials with a special emphasis on resistance to *Chalara fraxinea*. *Baltic For.* 17, 17– 34.
- Rosenvald, R.; Drenkhan, R.; Riit, T.; Löhmus, A., 2015: Towards silvicultural mitigation of the European ash (*Fraxinus excelsior*) dieback: the importance of acclimated trees in retention forestry *Canadian Journal of Forest Research* 45 (9), 1206–1214.
- Schlia, V., 2018: Eschentriebsterben – Das Managementkonzept für die Straßenbäume in Hessen. In: Dujesiefken, D.(Hrsg.): *Jahrbuch der Baumpflege 2018*. Haymarket Media, Braunschweig, 202–210.
- Schumacher, J.; Kehr, R.; Leonhard, S., 2010: Mycological and histological investigations of *Fraxinus excelsior* nursery saplings naturally infected by *Chalara fraxinea*. *Forest Pathology* 40, 419–429.
- Skovsgaard, J. P.; Thomsen, I. M.; Skovsgaard, I. M.; Martinussen, T., 2010: Associations among symptoms of dieback in even-aged stands of ash (*Fraxinus excelsior* L.). *Forest Pathology* 40, 7–18.
- Skovsgaard, J. P.; Wilhelm, G. J.; Thomsen, I. M.; Metzler, B.; Kirisits, T.; Havrdová, L.; Enderle, R.; Dobrowolska, D.; Cleary, M.; Clark, J., 2017: Silvicultural strategies for *Fraxinus excelsior* in response to dieback caused by *Hymenoscyphus fraxineus*. *Forestry* 90, 455–472.

Stener, L-G., 2013: Clonal differences in susceptibility to the dieback of *Fraxinus excelsior* in southern Sweden. *Scandinavian Journal of Forest Research* 28, 205–216.

Thomsen, I., 2014: Das Eschentriebsterben an Stadt- und Straßenbäumen – eine Situationsbeschreibung aus Dänemark. In: Dujesiefken, D. (Hrsg.): *Jahrbuch der Baumpflege 2014*. Haymarket Media, Braunschweig, 101–108.